

Junction Box

Model: A5P


Scan this QR Code:



Specifications:

- Housing material: Plastic
- IP rating: IP65
- Max number of load cells: 4PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 155-160mm
- Dimension: 180x65x43mm
- Optional: *Lightning Protection model / HUMMEL Connectors*


Dimension(mm):



Junction Box

Model: A5P-1


Scan this QR Code:



Specifications:

- Housing material: Plastic
- IP rating: IP67
- Max number of load cells: 4PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Installation size: 4- ϕ 7mm
- Dimension: 176x66x42mm
- Optional: *Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Junction Box

Model: A5P-IP68




Scan this QR Code:



Specifications:

- Housing material: Plastic
- IP rating: IP68
- Max number of load cells: 4PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Install Dimension: 4- $\phi 7\text{mm}\phi$
- Mounting hole center: 155-160mm
- Dimension: 179x68x40mm
- Optional: *Lightning Protection model*

Dimension(mm):



Junction Box

Model: A5-1


Scan this QR Code:



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max number of load cells: 4PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Install Dimension: 2- ϕ 7mm
- Mounting hole center: 150-155mm
- Dimension: 174x60x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Junction Box

Model: B5


Scan this QR Code:



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max number of load cells: 4PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 plastic connectors
- Installation size: 4- ϕ 7mm
- Mounting hole center: 20mmx160-165mm
- Dimension: 175x91x42mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Junction Box

Model: B5-IP68


Scan this QR Code:



Specifications:

- Housing material: Stainless steel
- IP rating: IP68
- Max number of load cells: 4PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M12 metal connectors
- Installation size: 4- ϕ 7mm
- Mounting hole center: 35-168mm
- Dimension: 192x124x43mm
- Optional: *Explosion-proof model / Lightning Protection model*

Dimension(mm):



Direction A

Junction Box

Model: C5


Scan this QR Code:



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max number of load cells: 4PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 208x153x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Junction Box

Model: C7


Scan this QR Code:



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max number of load cells: 6PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- $\phi 7$ mm
- Mounting hole center: 138-143mm
- Dimension: 208x153x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Junction Box

Model: C9


Scan this QR Code:



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max number of load cells: 8PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 208x153x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Junction Box

Model: C11


Scan this QR Code:



Specifications:

- Housing material: Stainless steel
- IP rating: IP65
- Max number of load cells: 10PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-175mm
- Dimension: 240x153x48mm
- Optional: *Explosion-proof model / Lightning Protection model / HUMMEL Connectors*

Dimension(mm):



Junction Box

Model: C5P


Scan this QR Code:



Specifications:

- Housing material: Plastic
- IP rating: IP66
- Max number of load cells: 4PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 210x167x68mm
- Optional: *HUMMEL Connectors*

Dimension(mm):



Junction Box

Model: C7P


Scan this QR Code:



Specifications:

- Housing material: Plastic
- IP rating: IP66
- Max number of load cells: 6PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 210x167x68mm
- Optional: *HUMMEL Connectors*

Dimension(mm):



Junction Box

Model: C9P

Scan this QR Code:



Specifications:

- Housing material: Plastic
- IP rating: IP66
- Max number of load cells: 8PCS
- Trimming: Individual cell with excitation or signal trim
- Connector: M16 plastic connectors
- Install Dimension: 4- ϕ 7mm
- Mounting hole center: 138-143mm
- Dimension: 210x167x68mm
- Optional: *HUMMEL Connectors*

Dimension(mm):

